## IN THE CLAIMS

Please amend the claims as follows:

- 1. (original) A method of operating a control point (CP) to perform searching operations in a network (100) comprising the control point (CP) and a plurality of content servers (MS-1 MS-4) for storing a directory of media content objects and descriptive information (CDS) about the stored media content objects, the method comprising:
- querying (201, 202) the plurality of content servers (MS-1 MS-4) to retrieve descriptive information about the stored content objects;
- analysing the retrieved information to determine which content servers store the same object;
- storing (26), for each object, an identifier of each content server storing that object; and,
- upon receiving a search request, using the stored information (26) to determine which content servers in the network need to be queried to retrieve further information about the object.

- 2. (original) A method according to claim 1 further comprising storing (26), for each object, a local identifier of the object within the content server.
- 3. (currently amended) A method according to claim 1 or 2 further comprising storing (26), for each object, an identifier of each content server which does not store that object.
- 4. (original) A method according to claim 3 further comprising storing (26), for each object, a local identifier of the object within the content server, and wherein those servers which do not store the object have a special value for the local identifier.
- 5. (original) A method according to claim 4 wherein the special value is a negative value.
- 6. (currently amended) A method according to any one of the preceding claims 1 further comprising updating the stored information (26) according to the availability of servers (MS-1 MS-4) in the network.

- 7. (original) A method according to claim 6 wherein the stored information (26) is deleted when a server (MS-1 MS-4) is removed from the network.
- 8. (currently amended) A method according to any one of the preceding claims 1 further comprising determining when a new content server joins the network and performing the steps of querying, analysing and storing for the new server.
- 9. (currently amended) A method according to any one of the preceding claims 1 wherein the descriptive information includes classification information, and the step of analysing the retrieved information uses the classification information to determine which content servers store the same object.
- 10. (currently amended) A method according to any one of the preceding claims 1 wherein the step of analysing the retrieved information uses the title of the object to determine which content servers store the same object.
- 11. (currently amended) A method according to any one of the preceding claims 1 wherein the steps of querying,

analysing and storing are performed as part of a user-requested search.

- 12. (currently amended) A method according to any one of the preceding claims 1 wherein the step of storing stores information at the control point (CP).
- 13. (currently amended) A control apparatus for a control point in a network which is arranged to perform the method according to any one of the preceding claims claim 1.
- 14. (currently amended) Software for causing a processor of a control point in a network to perform the method according to any one of claims 1 to 12 claim 1.
- 15. (currently amended) A control point comprising the control apparatus according to claim 13 or the software according to claim 14.
- 16. (currently amended) A method, control apparatus, software or control point according to any one of the preceding claimsclaim 1 wherein the control point is a Universal Plug and

Play (UPnP) Control Point and the content servers are UPnP Media Server devices.